



KANSAS CITY MISSOURI

Ordinance 260137

Directing the City Manager or their designee to develop recommendations for the adoption of the 2024 International Code series, including the 2024 International Energy Conservation Code, with amendments based on stakeholder feedback and to promote regional competitiveness and alignment with neighboring municipalities; directing the City Manager to include a request for appropriation in the FY27 submitted budget in the amount of \$122,000.00

Ordinance 260137

- Resolution 251035 – Dec 11, 2025
- Survey of municipalities across the metropolitan area was performed
 - Adoption of the 2024 I-Code series including the IECC and local amendments
- Next Steps:
 - Adoption process of 2024 I-Code Package
 - Stakeholder engagement
 - Amendments
 - Final Adoption

Ordinance 260144

Amending Chapter 18, Code of Ordinances, by repealing Article XIV, Section 18-367 entitled “Adoption of International Energy Conservation Code (2021); amendments” and enacting, in lieu thereof, a new section of like number and subject matter that provides amendments to the residential energy (RE) section for exterior wall insulation, total building performance (HERS), energy rating index compliance (ERI), duct testing, and energy code analysis (ECA) plan pages to promote regional competitiveness and support economic development.

Ordinance 260144

- Exterior Wall
 - R19 without continuous insulation for the prescriptive method
- Duck Leakage Test
 - Not Required when located entirely within the building thermal envelope
- Energy Performance – HERS and ERI
 - Compliance score of 70 under 2,000 sq. ft
 - Compliance score of 65 over 2,000 sq. ft