

A copy of said development plan is on file in the office of the City Clerk with this ordinance and is made a part hereof.

Section B. That the Council finds and declares that before taking any action on the proposed amendment and development plan hereinabove, all public notices and hearings required by the Zoning and Development Code have been given and had.

I hereby certify that as required by Chapter 88, Code of Ordinances, the foregoing ordinance was duly advertised and public hearings were held.



Authenticated as Passed

Quinton Lucas, Mayor

Marilyn Sanders, City Clerk

JUL 24 2025

Date Passed

Sara Copeland, FAICP
Secretary, City Plan Commission

Approved as to form:

Sarah Baxter
Senior Associate City Attorney



File #: 250534

ORDINANCE NO. 250534

Approving a major amendment to a previously approved development plan on about six acres in District B3-3 generally located at the southeast corner of North Congress Avenue and Northwest Prairie View Road to allow for a 7,244 square foot building addition to an existing automotive dealership. (CD-CPC-2025-00058)

BE IT ORDAINED BY THE COUNCIL OF KANSAS CITY:

Section A. That a major amendment to a previously approved development plan in District B3-3 (Community Business) generally located at the southeast corner of North Congress Avenue and Northwest Prairie View Road, and more specifically described as follows:

Lot 1, Tiffany Springs Auto Plaza, a subdivision of land in the City of Kansas City, Platte County, Missouri.

is hereby approved, subject to the following conditions:

1. The developer shall submit an affidavit, completed by a landscape architect licensed in the State of Missouri, verifying that all landscaping required of the approved plan has been installed in accordance with the plan and is healthy prior to a certificate of occupancy.
2. The developer shall submit an affidavit, prepared by an engineer licensed in the State of Missouri, verifying that all outdoor lighting has been installed in accordance with approved plans and that lighting levels do not exceed that shown on the approved lighting plan at the property lines prior to a certificate of occupancy.
3. Prior to issuance of the certificate of occupancy for each lot within the plat the developer shall submit an affidavit, completed by a landscape architect licensed in the State of Missouri, verifying that street trees have been installed in accordance with the approved street tree planting plan and are healthy.
4. The developer shall submit a letter to the Land Development Division from a licensed civil engineer, licensed architect, or licensed landscape architect, who is registered in the State of Missouri, that identifies sidewalks, curbs, and gutters in disrepair as defined by Public Works Department's "OUT OF REPAIR CRITERIA FOR SIDEWALK, DRIVEWAY AND CURB revised 11/5/2013"

and based on compliance with Chapters 56 and 64, Code of Ordinances, for the sidewalks, curbs, and gutters where said letter shall identify the quantity and location of sidewalks, curbs, and gutters that need to be constructed, repaired, or reconstructed to remedy deficiencies and/or to remove existing approaches no longer needed by this project. The developer shall secure permits to repair or reconstruct the identified sidewalks, curbs, and gutters as necessary along all development street frontages as required by the Land Development Division and prior to issuance of any certificate of occupancy permits including temporary certificate of occupancy permits.

5. The developer shall pay impact fees as required by Chapter 39 of the City's Code of Ordinances, as required by the Land Development Division.
6. Building plans submittal shall meet the requirements of the Kansas City Building and Rehabilitation Code in effect at the time of submission.
7. The developer shall meet the fire flow requirements as set forth in Appendix B of the International Fire Code 2018. (IFC-2018 § 507.1)
8. The developer shall extend all fire and life protection systems into the new addition. (IFC-2018 § 901.4)
9. The developer shall submit a storm drainage analysis from a Missouri-licensed civil engineer to the Kansas City Water Services Department, in accordance with adopted standards, including a BMP level of service analysis prior to approval and issuance of any building permits, and the developer shall secure permits to construct any improvements as required by the Kansas City Water Services Department prior to issuance of any certificate of occupancy.
10. The developer shall grant a BMP easement to the City as required by the Kansas City Water Services Department, prior to issuance of any building permits if required/recommended by the drainage study.
11. A full flow fire meter shall be required when the fire protection service line serves more than one building, or combination service lines 6 inches and larger, or that have private fire hydrants connected to them.
12. When an existing building is being renovated, is being changed in use or occupancy, or is undergoing a building addition, and the existing water service line(s) will be reused, the water service line(s) and related appurtenances shall meet the most current version of Kansas City Water rules and regulations.
13. The developer shall ensure that water and fire service lines should meet current Water Services Department rules and regulations prior to issuance of a certificate of occupancy.