## SHEET LIST:

A102

COVER SHEET OVERALL DEVELOPMENT PLAN **EXISTING CONDITIONS** C003 C004 C005 C006 C007 PHASE 1 SITE PLAN PRELIMINARY PLAT GRADING PLAN UTILITY PLAN

LANDSCAPE PLAN LANDSCAPE REQUIREMENTS ELECTRICAL SITE PLAN SITE PHOTOMETRIC PLAN

FOUR PLEX FLOOR PLANS

21ST STREET

**EXTERIOR ELEVATIONS** 

## THIS PLAN **APPROVED**

BY ORDINANCE

BOUNDARY


# PROSPECT SUMMIT HOMES SENIOR LIVING UNITS UR DISTRICT REZONING AND PRELIMINARY PLAT

22ND TO 23RD/OLIVE TO PROSPECT KANSAS CITY, JACKSON COUNTY, MISSOURI Case No. CD-CPC-2021-00014

> CITY PLAN COMMISSION RECOMMENDED


## **APPROVAL**

SUBJECT TO CONDITIONS Diane M. Binckley ASSISTANT SECRETARY 05-04-2021



LOCATION MAP

NOT TO SCALE



#### LEGAL DESCRIPTION:

## TABLE 1 - SITE DATA

ite Data	Existing	Proposed	Deviation Requested	Approved
oning	R-1.5	UR	No	
ross Land Area	_	_		
in square feet	92,193	92,193	No	
in acres	2.117	2.117	No	
ight-of-way Dedication				
in square feet	0	0	No	
in acres	0.00	0.00	No	
ight-of-way Vacation				
in square feet	0	20,785	No	
in acres	0.00	0.477	No	
et Land Area				
in square feet	92,193	105,815	No	
in acres	2.117	2.429	No	
uilding Area (sq. ft.)	0	29,400	No	
loor Area Ratio	0.00	0.28	No	
esidential Use Info				
otal Dwelling Units	0	24	No	
Detached House	0	0	No	
Zero Lot Line House	0	0	No	
Cottage House	0	0	No	
Semi-attached House	0	0	No	
Townhouse	0	24	No	
Two-unit House	0	6	No	
Multi-unit House	0	3	No	
Colonnade	0	0	No	
Multiplex	0	0	No	
Multi-unit Building	0	0	No	
otal Lots	27	1	No	
Residential	27	1	No	
Public/Civic	0	0	No	
Commercial	0	0	No	
Industrial	0	0	No	
Other	0	0	No	

#### TABLE 2 - BUILDING DATA

0 ft 0 ft	No	
∩ ft		
ΟIL	No	
0 ft	No	
0 ft	No	
20'	No	
	0 ft 20'	0 ft No

Garage Height: 20' ft **TABLE 3,3A,3B** 

### TABLE 4 - PARKING

SEE LANDSCAPE PLANS FOR DETAILS

Building Data	Vehicle	Spaces	Alternatives	
-	Required	Proposed	Proposed?	Notes
Proposed Use(s)			(See 88-420-16)	-Parking For Elderly
Residential Parking	24	40	N/A	Housing = 1 per 3
(24 Garage, 8 Exterior)				Dwelling Units.
Accessible Parking	1	1		KCMO Code Section is
Short Term Bicycle	N/A	0		88-420-06
Long Term Bicycle	N/A	0		5
Total	25	41		-Bicycles are stored in units

#### TABLE 5 - OTHER DEVELOPMENT STANDARDS

TABLE 6 STILL BEVELST MEINT STANDARDS					
88-425 OTHER DEVELOPMENT STANDARDS					
88-408 Parkland Dedication	Developer to provide a combination of private open space and payment in-lieu. Final combination TBD.				
88-415 Stream Buffers	Not Applicable				
88-430 Outdoor Lighting	See Outdoor Lighting Plan				
88-435 Outdoor Display, Storage, and Work Areas	Not Applicable				
88-445 Signs	Signage comply with 88-445.				
88-450 Pedestrian Standards	On site meets 88-450 criteria.				

#### DEVELOPMENT SUMMARY TABLE

Name	Use	Above Grade	No. Floors	Usage	Unit Area (sf)	Total Units	Garage Spaces	Total Area (sf)
Building 1	Townhomes	20'	1				4	3600
· ·				Residential	900	4	7	
Building 2	Townhomes	20'	1				2	1800
				Residential	900	2	2	1000
Building 3	Townhomes	20'	1				4	3600
				Residential	900	4	4	
Building 4	Townhomes	20'	1	Amenity	900	1	2	1800
				Residential	900	1		1000
Building 5	Townhomes	20'	1				_ 2	1800
				Residential	900	2		1000
Building 6	Townhomes	20'	1				4	3600
				Residential	900	4	'	0000
Building 7	Townhomes	20'	1				2	1800
				Residential	900	2	_	
Building 8	Townhomes	20'	1				2	1800
				Residential	900	2	_	1000
Building 9	Townhomes	20'	1				2	1800
				Residential	900	2	<b>-</b>	
Totals:						24	24	21 600

1. Height above grade is measured from 1st floor elevation to top of roof.

2. Total Area (sf) per zoning requirements. 3. Building Coverage = 29,400 SF Building = 21,600 SFGarage = 7,800 SF

#### **DENSITY**

GROSS DENSITY: 9.88 UNITS / ACRE (BASED ON TOTAL LAND AREA) 2. NET DENSITY: 9.88 UNITS / ACRE (NET LAND AREA)

PROJECT TIMELINE:

**CONSTRUCTION START: SUMMER 2021** THE PROJECT WILL BE CONSTRUCTED IN ONE PHASE

### **DESIGN GUIDELINES**

- 1. PARKING LOT LIGHTING AND LIGHT FROM VEHICLES SHOULD NOT GLARE INTO ADJACENT PROPERTIES. CONSIDER LIGHT IN ACCESS DRIVE LOCATION. 2. CURB CUTS FOR PARKING LOTS SHOULD BE KEPT TO A
- 3. PARKING SHOULD BE LOCATED AT THE REAR OF THE PROPERTY BEHIND BUILDINGS, OR IN A GARAGE IN A
- 4. ALL SURFACE PARKING LOTS SHOULD PROVIDE A COMBINATION OF PERIMETER AND INTERIOR LANDSCAPING AND PROVIDE DIRECT, SAFE AND WELL DELINEATED PEDESTRIAN CONNECTIONS THROUGH THE
- 5. BLANK WALLS ADJACENT TO STREETS ARE DISCOURAGED.6. WHERE APPROPRIATE OR FEASIBLE, THE UTILIZATION OF ALLEYS OR PRIVATE DRIVEWAYS 7. BUILDINGS SHOULD HAVE A PRIMARY ENTRANCE FACING
- RATHER THAN ORIENTED TOWARDS SIDE OR REAR PARKING PARKING AREA 8. IN RESIDENTIAL AREAS, GARAGES SHOULD BE LOCATED BEHIND RESIDENCE AND ACCESSED FROM AN ALLEY OR


AND DIRECTLY ACCESSIBLE FROM THE PUBLIC STREET

- PRIVATE STREET/DRIVEWAY 9. LIGHTING: GLARE AND SPILLAGE INTO ADJACENT PROPERTIES SHOULD BE KEPT TO A MINIMUM. LOW NOISE
- LEVEL LIGHTS SHOULD BE USED. THROUGH USE OF HIGH QUALITY, DURABLE MATERIALS SUCH AS BRICK, STONE, WOOD, TILE, STUCCO,

TERRACOTTA AND MASONRY. THE BUILDING SIDE FACING

STREET SHOULD BE A COMBINATION OF EITHER MATERIALS MENTIONED 11. ANY ENTRANCE SIGNAGE SHOULD COMPLEMENT THE CHARACTER OF THE BUILDINGS.


## UR FINAL PLAN



	2	2	∣≌∣
	₹ ¥	TRI	O TRM LG
,	7	_	0
	G AND PRELIMINARY PLAT 2ND RESUBMITTAL 2 TRM LC	IING AND PRELIMINARY PLAT RESUBMITTAL	NING AND PRELIMINARY PLAT SUBMITTAL
	AND PRELIMIN	G AND PRELIA	NG AND PREL
	6	ĬŽ	<b>\</b>

SUMMIT HOMES CITY, MISSOURI 2 OLIVE/PROSPECT

PROSPECT KANSAS 22ND/23RD



24TH STREET PROSPECT SUMMIT HOMES AREA MAP

23RD STREET

SCALE IN FEET HORIZONTAL SCALE 1"=60'

**SENIOR LIVING UNITS** 

LEGEND

UR BOUNDARY PHASE 1

## PROJECT DATA

## OWNER/LOCATION

T&B REAL ESTATE 22ND/23RD STREET, LLC 1020 EAST 8TH STREET KANSAS CITY, MISSOURI 64106 PHONE: 816-238-3456

LOCATION /DESCRIPTION: 22nd/23rd and Olive/Prospect, Kansas City, Missouri. New double bedroom Townhomes for Senior LIHTC Living Residences 23 Living Units @ 900s.f. w/ 325s.f. garage

1 Office/Living Unit @ 900s.f. w/ 325s.f. garage

Local Building Inspection Department: The City of Kansas City, Missouri Jackson County

Zoned R-1 Single Family District

OCCUPANCY CLASSIFICATION: IRC TOWNHOMES R-2 **CONSTRUCTION TYPE:** VB (IBC SECTION 602.5)

## **DESIGN COMPANIES**

CIVIL ENGINEER / ARCHITECT / STRUCTURAL / LANDSCAPE ARCHITECT TALIAFERRO & BROWNE, INC. 1020 EAST 8TH STREET KANSAS CITY, MISSOURI 64106

CUSTOM ENGINEERING, INC. 12760 E US HIGHWAY 40 INDEPENDENCE, MO 64055 PHONE: 816-350-1473

PHONE; 816-238-3456

## CONSTRUCTION END: WINTER 2022



© 2009 Taliaferro & Browne, Inc.


TRM LG LG
TRM LG LG
TRM LG LG


C002


PLAN


DEVELOPMENT


OVERALL














Table 3. Landscape Requirements
This table shall appear on all landscape plans. Note that the column labeled "Alternative Requested" shall only be used when you cannot meet the landscape requirement and, if used, must be accompanied by Table 3a.

88-425 - LANDSCAPE REQUIREMENTS	Required	Proposed	Alternative Requested?	Approved
88-425-03 Street frees	51	52	1	
88-425-04 General	ŇÁ			
88-425-05 Perimeter Vehicular Use Area Adjacent to Streets Butter Width Trees Shrubs/Wall/Berm Adjacent to Residential Zones Butter Width	10' Min. NA	35'		
Shrubs/Berm/Fence/Wall	NA			
88-425-06 Interio: Vehicular Use Area Interior Area Trees Shrubs	NA			
88-425-07 Parking Garage Screening	Describe	NA		
88-425-08 Mechanical/Utility Equipment Screening	Describe	NA		
88-425-09 Outdoor Use Screening	Describe	NA		

<u>Table 3a. Alternative Compliance to Landscape Standards</u>

This table shall appear on all landscape plans in which alternative compliance is requested.

88-425 LANDSCAPE REQUIREMENTS	Proposed Alternative	Approved
88-425-03 Street frees		0.44.000
88-425-04 General		
88-425-05 Perimeter Vehicular Use Area Adjacent to Streets Buffer Width Trees Shrubs/Wall/Berm		
Adjacent to Residential Zones Buffer Width Shrubs/Berm/Fence/Wall		
88-425-06 Interio: Vehicular Use Area Interior Area Trees Shrubs		
88-425-07 Parking Garage Screening		
88-425-08 Mechanical/Utility Equipment Screening		
88-425-09 Outdoor Use Screening		


<u>Table 3b. Landscape Schedule</u>


This table shall appear on all landscape plans and be used to identify the graphic information displayed on the face of the plan.

88-425 - LANDSCAPE SCHEDULE	SYMBOL	
88-425-03 Street Trees	See Plan And Plant Schedule	
88-425-04 General	See Plan And Plant Schedule	
88-425-05 Perimeter Vehicular Use Area Adjacent to Streets Butter Width Trees Shrubs/Wall/Berm	See Plan And Plant Schedule	
Adjacent to Residential Zones Buffer Width Shrubs/Berm/Fence/Wall	See Plan And Plant Schedule	
88-425-06 Interior Vehicular Use Area Interior Area Trees Shrubs	See Plan And Plant Schedule See Plan And Plant Schedule	
88-425-07 Parking Garage Screening	Describe NA	
88-425-08 Mechanical/Utility Equipment Screening	Describe NA	
88-425-09 Outdoor Use Screening	Describe NA	

PROSPECT SUMMIT HOMES	CII	22ND/23RD & OLIVE/PROSPECT	
•			

Taliafer Civil / Landscape	





## ELECTRICAL SYMBOL

PARKING LOT LED LIGHT FIXTURE MOUNTED ON 20' POLE.

IES RECOMMENDED MAINTAINED ILLUMINANCE VALUE FOR PARKING LOT						
LABEL	UNITS	AVG	MIN	MAX/MIN		
PARKING LOT AREA	+ FC	2.0	0.2	20:1		

CALCULATION SUMMARY						
LABEL	UNITS	AVG	MAX	MIN	AVG/MIN	MAX/MIN
PARKING LOT AREA	+ FC	4.13	9.6	0.4	10.33	24.0

## LIGHTING FIXTURE AND DESIGN PARAMETERS

1. LUMINARE TYPE:


TYPE "PL" GALLEON LED CAT #

GAN-AF-04-LED-U-T4FT-BZ-7030 (70 CRI, 3000K)

2. POLE: POLE "PL

COOPER LIGHTING, MODEL # SSX-5-A-20-S-BZ-M-1 20 FT SQUARE STRAIGHT STEEL, BRONZE COLOR.

· SQUARE STRAIGHT STEEL POLE **BRONZE COLOR** 20'-0"




2 SITE LIGHTING LUMINAIRE POLE DETAIL LUMINAIRE TYPE 'PL'
SCALE: NTS



T SUMMIT HOMES CITY, MISSOURI & OLIVE/PROSPECT

PROSPECT KANSAS C 22ND/23RD 8







# SIDE ELEVATION RENDERING - NTS

# FRONT ELEVATION 4 PLEX RENDERING - NTS

**ELEVATIONS** 

EXTERIOR

