



## Legislation Details (With Text)

<b>File #:</b>	240565	<b>Version:</b>	1	<b>Name:</b>	
<b>Type:</b>	Ordinance	<b>Status:</b>		Passed	
<b>File created:</b>	6/14/2024	<b>In control:</b>		Council	
<b>On agenda:</b>	7/18/2024	<b>Final action:</b>		7/18/2024	
<b>Title:</b>	Sponsor: Director of City Planning and Development Department				
	Approving a development plan on about 1.1 acres in Districts M1-5 and B4-5 generally located at the northeast corner of E. 16th Street and Holmes Street to allow for the construction of a residential mixed-use building. (CD-CPC-2024-00012)				
<b>Sponsors:</b>	Director of City Planning & Development				
<b>Indexes:</b>					
<b>Code sections:</b>					
<b>Attachments:</b>	1. Docket Memo, 2. 03_CD-CPC-2024-00012_StaffReport_15th and Holmes, 3. 6-18 CPC PPT_15th & Holmes, 4. CPC Dispo, 5. CPC recommend approval plans, 6. 240565 PPT_15th & Holmes, 7. Authenticated Ordinance 240565				

Date	Ver.	Action By	Action	Result
7/18/2024	1	Council	Passed	Pass
7/16/2024	1	Neighborhood Planning and Development Committee	Adv and Do Pass	Pass
6/27/2024	1	Council	referred	

### ORDINANCE NO. 240565

Sponsor: Director of City Planning and Development Department

Approving a development plan on about 1.1 acres in Districts M1-5 and B4-5 generally located at the northeast corner of E. 16th Street and Holmes Street to allow for the construction of a residential mixed-use building. (CD-CPC-2024-00012)

### BE IT ORDAINED BY THE COUNCIL OF KANSAS CITY:

Section A. That a development plan in Districts M1-5 (Manufacturing 1 (Dash 5)) and B4-5 (Heavy Business/Commercial (Dash 5)) generally located at northeast corner of E. 16th Street and Holmes Street, and more specifically described as follows:

Lots 911, 912, 913, 914, 915, 916, 917 and 918 except that part in public alley, Block 65, McGee's Addition, a subdivision in Kansas City, Jackson County, Missouri, according to the recorded plat thereof.

is hereby approved, subject to the following conditions:

1. All signage shall conform to 88-445 and shall require a sign permit prior to installation.

2. The developer shall submit an affidavit, completed by a landscape architect licensed in the State of Missouri, verifying that all landscaping required of the approved plan has been installed in accordance with the plan and is healthy prior to a certificate of occupancy.
3. The developer shall submit an affidavit, prepared by an engineer licensed in the State of Missouri, verifying that all outdoor lighting has been installed in accordance with approved plans and that lighting levels do not exceed that shown on the approved lighting plan at the property lines prior to a certificate of occupancy.
4. The developer shall submit an affidavit, completed by a landscape architect licensed in the State of Missouri, verifying that street trees have been installed in accordance with the approved street tree planting plan and are healthy prior to a certificate of occupancy.
5. The developer shall screen all roof and/or ground mounted mechanical and utility equipment in compliance with 88-425-08.
6. The developer shall continue to work with staff during the time of building permit to discuss architectural design to compliment the Crossroads District.
7. The developer shall identify the proposed location of addressing the building elevations at the time of building permit to ensure visibility for emergency personnel.
8. The developer shall submit plans for grading, siltation, and erosion control to the Land Development Division for review and acceptance, provide a copy of the Storm Water Pollution Prevention (SWPP) plan submitted to the Missouri Department of Natural Resources (MDNR) and secure a site disturbance permit for any proposed disturbance area equal to one acre or more prior to beginning any construction activities.
9. The developer shall submit verification of vertical and horizontal sight distance for the drive connection to public right-of-way to the Land Development Division and make improvements to ensure local jurisdiction and/or minimum AASHTO adequate sight distance standards are met, prior to issuance of any certificate of occupancy.
10. The developer shall obtain the executed and recorded City approved grading, temporary construction, drainage/sewer, or any other necessary easements from the abutting property owner(s) that may be required prior to submitting any public improvements crossing properties not controlled by the developer and include said document(s) within the public improvement applications submitted for permitting.
11. The developer shall submit a storm drainage analysis from a Missouri-licensed civil engineer to the Land Development Division evaluating proposed improvements and impact to drainage conditions. Since this project is within a "Combined Sewer Overflow" (CSO) district, the project shall be designed to retain rainfall of 1.5 inch depth over the disturbed area to simulate natural runoff conditions and reduce small storm discharge to the combined sewer system and manage the 10-year storm and 100-year storm per currently adopted APWA standards. The analysis shall be submitted prior to issuance of any building permits, and the developer shall secure permits to construct any improvements required by the Land Development Division prior to issuance of any certificate of occupancy.

12. The developer shall submit a streetscape plan for approval and permitting by the Land Development Division prior to beginning construction of the streetscape improvements in the public right-of-way, and construct ADA compliant ramps at all required locations where new private drives are being added, or where existing sidewalks are modified or repaired.
13. The developer shall submit an analysis to verify adequate capacity of the existing sewer system as required by the Land Development Division prior to issuance of a building permit to connect the private system to the public sewer main and depending on adequacy of the receiving system, make other improvements as may be required.
14. The developer shall integrate into the existing streetlight system any relocated streetlights within the street right-of-way impacted by the new drive or approach entrances as required by the Land Development Division, and the relocated lights must comply with all adopted lighting standards.
15. The developer shall meet the fire flow requirements as set forth in Appendix B of the project International Fire Code 2018. (IFC-2018 § 507.1)
16. Buildings equipped with a fire standpipe system shall have an operable fire hydrant within 100 feet of the Fire Department Connection (FDC). (IFC2018 § 507.5.1.1). All Fire Department Connections (FDC) shall be threaded connections, Storz connections are not allowed in the City of Kansas City, Missouri (IFC-2018 § 903.3.6; NFPA 13-2010 § 6.8.1).
17. Fire hydrants shall be installed and operable prior to the arrival of any combustible building materials onto the site. (IFC-2018 § 501.4 and 3312.1; NFPA 241-2013 § 8.7.2). Fire hydrant distribution shall follow IFC-2018 Table C102.1.
18. Aerial fire apparatus access roads shall be provided for any building that is 30 feet in height or greater. Aerial fire apparatus roads are a minimum 26 feet wide, at least 15 feet away from the building but not more than 30 feet from the structure (IFC-2018 § D105) and shall provide fire lane signage on fire access drives.
19. The developer shall be responsible for dedication of parkland, private open space in lieu of parkland, or payment of cash-in-lieu of either form of dedication, or any combination thereof in accordance with 88-408. Should the developer choose to pay cash-in-lieu of dedicating all or a portion of the required area, the amount due shall be based upon the 2024 acquisition rate of \$64,220.18 per acre. This requirement shall be satisfied prior to a certificate of occupancy.
20. The developer shall submit a streetscape plan with street tree planting plan per 88-425-03 for approval and permitting by the Parks and Recreation Department's Forestry Division prior to beginning work in the public right-of-way
21. The developer shall have a water flow test done to ensure there is adequate water pressure to serve the development.
22. When an existing building is being renovated, is being changed in use or occupancy, or is undergoing a building addition, and the existing water service line(s) will be reused, the water service line(s) and related appurtenances shall meet the most current version of KC Water Rules and Regulations.

A copy of said development plan is on file in the office of the City Clerk with this ordinance and is made a part hereof.

Section B. That the Council finds and declares that before taking any action on the proposed amendment and development plan hereinabove, all public notices and hearings required by the Zoning and Development Code have been given and had.

\_\_\_\_\_

I hereby certify that as required by Chapter 88, Code of Ordinances, the foregoing ordinance was duly advertised and public hearings were held.

\_\_\_\_\_  
Diane Binckley, AICP  
Secretary, City Plan Commission

Approved as to form:

\_\_\_\_\_  
Sarah Baxter  
Senior Associate City Attorney